| FORM PTO-1449 (Rev. 2-32) OTPERADENAMENTAL PROPERTY OF TRADENAMENTAL PROPERTY OF TRADENAMENTY OF TRADEN | U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 | |
|---|---|--------------------------------|---------------------------------|--|
| | (Ose several sheets if necessary) | Applicant: | | |
| | | Kouvetakis, et al. | | |
| | | Filing Date: | Group: | |
| | | December 8, 2005 | 2812 | |

U.S. PATENT DOCUMENTS

| Examiner Initial | | | Date | Name | Class | Subclass | Filing Date if Appropriate |
|---------------------|-----|----------------------|------------------|---------------------|-------|----------|----------------------------------|
| RSP | 1. | · US 2003-0157787 A1 | August 21, 2003 | Murthy, et al. | | -) | |
| | 2. | US 2006-0134895 A1 | June 22, 2006 | Kouvetakis, et al. | - | | |
| | 3. | US 2006-0236923 A1 | October 26, 2006 | Kouvetakis, et al. | _ | | |
| | 4. | US 2006-0163612-A1 | July 27, 2006 | Kouvetakis, et al. | | | |
| | 5. | 6,911,084 | June 28, 2005 | Kouvetakis, et al. | | | |
| | 6. | 5,532,183 | July 2, 1996 | Sugawara, et al. | | _ | |
| | 7. | 5,198,387 | March 30, 1993 | Tang, et al. | | | |
| | 8. | 5,714,415 | February 3, 1998 | Oguro | | | |
| | 9. | 6,410,434 | June 25, 2002 | Mani | | _ | , |
| | 10. | 6,723,621 | April 20, 2004 | Cordone, et al. | _ | | |
| | 11. | 6,897,471 | May 24, 2005 | Soref, et al. | | _ | |
| V | 12. | 6,441,716 | August 27, 2002 | Doppalapudi, et al. | | | |

| r | - | | | 1 | • | |
|----------|----|---------|------|---|-----------------|---------|
| EXAMINER | W_ | · -> | Yath | | DATE CONSIDERED | 4/19/07 |
| | // | | | | | |

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 | |
|------------------------------|--|-------------------------------|--------------------------|--|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | | | |
| | | Applicant: Kouvetakis, et al. | | |
| | | Filing Date: December 8, 2005 | Group: 2812 | |

FOREIGN PATENT DOCUMENTS

| Examiner Initial | Document Number | | Date | Country | Class | Subclass | Translation | |
|---------------------|--------------------|----------------|----------------------|---------|-------|----------|-------------|----|
| | | | | | | | Yes | No |
| RSP | 13. | WO 2005/001902 | January 6, 2005 | PCT | | | | |
| | 14. | WO 2004/114368 | December 29, 2004 | PCT | _ | | | |
| | 15. | WO 2005/015609 | February 17, 2005 | PCT | _ | | | - |
| | 16. | WO 2003/033781 | April 24, 2003 | PCT | | | | |
| V | 17. | WO 2006/009171 | January 26, 2006 | PCT | | | | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

| Exam Initi | | | |
|---------------|---|-----|---|
| PS | ρ | 18. | D. W. Jenkins, "Electronic properties of metastable GexSn1-x alloys", Phys. Rev. B., Vol. 36, pp. 7994-8001 (1987). |
| | | 19. | K. A. Mader, "Band structure and instability of GexSn1-x alloys", Solid State Commun., Vol. 69 (12), pp. 1123-1126 (1989). |
| 1 | / | 20. | G. He and H.A. Atwater, "Interband transitions in Sn _x Ge _{1.x} Alloys", Phys. Rev. Lett., Vol. 79(10), pp. 1937-1940 (1997). |

| | | | | | | | | |
|----------|--------------|------|-----|-----|-----------------|-------|----|--|
| EXAMINER | \mathbb{Z} | S | Pai | til | DATE CONSIDERED | 4/19/ | 07 | |
| | | | | | | | | |

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. | Serial No. |
|------------------------------|--|-------------------------------|-------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | 05-720-US2 | 10/559,981 |
| | | Applicant: Kouvetakis, et al. | |
| | | Filing Date: December 8, 2005 | Group: 2812 |

| | 30. | J. Taraci, J. Tolle, M. R. M. Cartney, J. Menendez, M. A. Santana, D. J. Smith, and J. Kouvetakis, "Simple chemical routes to diamond-cubic germanium-tin alloys", App. Phys. Lett. 78(23), pp. 3607-3609 (2001). |
|-----|-----|--|
| | 29. | L. Bellaiche, SH. Wei and Z. Zunger, "Localization and percolation in semiconductor alloys: GaAsN vs |
| | 28. | M. Bauer, et al., "Ge-Sn semiconductors for band-gap and lattice engineering", Appl. Phys. Lett. 81(16), pp. 2992-2994 (2002). |
| | 27. | P. R. Pukite, A. Harwit, and S. S. Iyer, "Molecular beam epitaxy of metastable, diamond structure Sn _x Ge _{1-x} alloys", Appl. Phys. Lett. 54(21), pp. 2142-2144 (1989). |
| | 26. | O. Gurdal, et al., "Growth of metastable Ge _{1-x} Sn _x /Ge stratined layer superlattices on Ge(001)2x1 by temperature-modulated molecular beam epitaxy", Appl. Phys. Lett., Vol. 67(7), pp. 956-958 (1995). |
| | 25. | W. Wegschelder, K. Eberl, U. Menczigar, and G. Abstreiter, "Single-crystal Sn/Ge superlattices on Ge substrates: Growth and structural properties", Appl. Phys. Lett., Vol. 57(9), pp. 875-877 (1990). |
| | 24. | C. A. Hoffman, et al., "Three-Band transport and cyclotron resonance in alpha –Sn and alpha –Sn _{1-x} Ge _x grown by molecular-beam epitaxy", Phys. Rev. B. Vol: 40(17): pp. 11693-11700, (1989). |
| | 23. | H. Höchst, M. A. Engelhardt, and D. W. Niles, "The MBE growth and electronic structure of α-Sn _x Ge _{1-x} alloys", SPIE Proceedings, Vol. 1106, pp. 165-171 (1989)(ABSTRACT). |
| | 22. | M. T. Asom, E. A. Fitzgerald, A. R. Kortan, B. Spear, and L. C. Kimerling, "Epitaxial Growth of SnGe Alloys", Appl. Phys. Lett., Vol: 55(6), pp. 578-580 (1989). |
| R5P | 21. | O. Gurdal, R. Desjardins, J. R. A. Carlsson, N. Taylor, H. H. Radamson, JE. Sundgren, and J. E. Greene, "Low-temperature growth and critical epitaxial thicknesses of fully strained metastable Ge1-x Snx (x ≤0.26) alloys", J. Appl. Phys., Vol. 83(1), pp. 162-170 (1998). |

| | 20/ | | | |
|----------|--|----------|-----------------|---------|
| EXAMINER | The same of the sa | S. Potel | DATE CONSIDERED | 4/19/07 |
| | / | | | |

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. | Serial No. |
|---|--|--------------------|------------|
| (************************************** | | 05-720-US2 | 10/559,981 |
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | |
| | (Use several sheets if necessary) | | |
| | • | Applicant: | |
| | | Kouvetakis, et al. | |
| | | Filing Date: | Group: |
| | | December 8, 2005 | 2812 |

| P2b | 31. | J. Taraci, S. Zollner, M. R. McCartney, J. Menéndez, M. A. Santana, D. J. Smith, A. Haaland, A. V. Tutukin, G. Gundersen, G. Wolf, and J. Kouvetakis, "Synthesis of silicon-based infrared semiconductors in the Ge-Sn system using molecular chemistry methods", J. of the Am. Chem. Soc., Col: 123(44), pp. 10980-10987 (2001). |
|-----|-----|---|
| | 32. | V. Atluri, N. Herbots, D. Dagel, H. Jacobsson, M. Johnson, R. Carpio, and B. Fowler, "Comparison and reproducibility of H-passivation of Si(1000) with HF in methanol, ethanol, isopropanol and water by IBA, TMAFM, and FTIR", Mater. Res. Soc. Symp. Proc. 477, pp. 281-292 (1997) (ABSTRACT). |
| | 33. | Z. Charafi and N. Bouarissa, "The effect of the violation of Vegard's law on the optical bowing in Si _{1.x} Ge _x alloys", Phys. Lett. A. Vol: 234, pp. 493-497 (1997). |
| | 34. | H. Kajiyama, S-I. Muramatsu, T. Shimada, and Y. Nishino, "Bond-length relaxation in crystalline Si ₁ . _x Ge _x alloys: An extended x-ray-absorption fine-structure study", Phys. Rev. B Vol. 45(24), pp. 14005-14010 (1992). |
| | 35. | F. Cerdeira, W. Dreyrodt, and M. Cardona, "Resonant raman scattering in germanium", Solid State Commun., Vol: 10, 591-595 (1972). |
| | 36. | M.M. McGibbon, N.D. Browning, M.F. Chisholm, A.J. McGibbon, S.J. Pennycook, V. Ravikumar, V.P. Dravid, "Direct determination of grain boundary atomic structure in SrTio ₃ " Science, Vol: 266, pp. 102-104 (1994). |
| | 37. | P. Mock, T. Topuria, N. D. Browning, G. R. Booker, N. J. Mason, R. J. Nicholas, M. Dobrowolska, S. Lee, and J. K. Furdyna, "Internal self-ordering in In(Sb,As), (In,Ga) Sb, and (Cd,Zn,Mn) Se nanoagglomerates/quantum dots", Appl. Phys. Lett., Vol. 79(7), pp. 946-948. (2001). |
| V | 38. | D.M. Ceperley, B.J. Alder, "Ground State of the Electron Gas by Stochastic Method", Phys. Rev. Lett., Vol. 45, pp. 566-569 (1980). |

| EXAMINER | // | 8.0 | Patri | / | DATE CONSIDERED | - | 4/19/07 | |
|----------|----|-----|-------|---|-----------------|---|---------|---|
| | | | | *************************************** | | | | *************************************** |

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. | Serial No. |
|------------------------------|--|--------------------|------------|
| (| | 05-720-US2 | 10/559,981 |
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | |
| | (Use several sheets if necessary) | | |
| | | Applicant: | |
| | | Kouvetakis, et al. | |
| | | Filing Date: | Group: |
| | | December 8, 2005 | 2812 |

| RSP | 39. | T G. Kresse and J. Hafner, "Ab initio molecular dynamics for liquid metals", Phys. Rev. B47(1), pp. R558-561 (1993). |
|-----------|-----|--|
| | 40. | G. Kresse and J. Hafner, "Ab ignition molecular-dynamics simulation of the liquid-metal-amorphous- semiconductor transition in germanium", Phys. Rev. B49(20), pp. 14251-14269 (1994). |
| | 41. | G. Kresse, J. Furthmuller, "Efficiency of ab-initio total energy calculations for metals and semiconductors using a plane-wave basis set", Comput. Mater. Sci. Vol. 6, pp. 15-50 (1996). |
| | 42. | G. Kresse, J. Furthmuller, "Efficient iterative schemes for ab initio total-energy calculations using a planewave basis set", Phys. Rev. B54(16), pp. 11169-11186 (1996). |
| | 43. | R. A. Soref and L. Friedman, "Direct-gap Ge/GeSn/Si and GeSn/Ge/Si heterostructures", Superlattices and Microstructures, Vol. 14(2), 189-193 (1993). |
| | 44. | M. R. Bauer, J. Kouvetakis, D.J. Smith and J. Menendez, "Tunable band structure in diamond cubic tin germanium alloys grown on Si", Solid State Commun., Vol. 127, 355-359 (2003). |
| | 45. | M.R. Bauer, P. Crozier, A.V.G Chizmeshya and J. D. Smith and J. Kouvetakis, "GeSn superstructured materials for Si-based optoelectronics", Appl. Phys. Lett. Vol. 83, pp. 3489-3491 (2003). |
| | 46 | M. Bauer et al., "Tunable band structure in diamond-cubic tin-germanium alloys grown on silicon substrates", Solid State Communications, Vol. 127 (2003), pp. 355-359. |
| | 47. | S. Cradock, E. A. V. Ebsorth, G. Davidson, L. A. Woodard, "Studies in Germyl Chemistry.3. Trigermylphosphine", J. Chem. Soc. A, 8, pp. 1229-1233 (1967). |
| \bigvee | 48. | D. W. H. Rankin, A. G. E. Robiet, G. M. Sheldrick, 5 Beagley, T. G. Hewit, "An electron Diffraction of the Molecular Structures of Trigermylphosphine and Trisilylstibine in the Gas Phase" J. Inorg. Nucl. Chem., 31, pp. 2351-2357 (1969). |

| | \mathcal{A} | | | | |
|----------|---------------|----|-----|-----------------|---------|
| EXAMINER | K | 5. | A// | DATE CONSIDERED | 4/19/07 |
| | / | | | | |

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 |
|------------------------------|--|----------------------------------|--------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | |
| | (Use several sheets if necessary) | Applicant: Kouvetakis, et al. | |
| | | Filing Date: December 8, 2005 | Group: 2812 |

| RSP | 49. | E. A. V. Ebsworth, D. J. Hutchison, D. W. H. Rankin, "The Preparation, properties, and Gas-Phase Molecular-Structure of 1,1- Difluoro-2,2-Digermylbiphosphone",J. Chem. Res., Synop, 12, pp. 393, (1980). |
|-----|-----|---|
| | 50. | E. A. V. Ebsworth, D. W. H. Rankin, G. M. Sheldrick, "Preparation and Properties of Trigermyl-arsine and -stibine", J. Chem. Soc. A, 11, pp. 2828-2830 (1968). |
| | 51. | D. E. Wingeleth, A. D. Norman, "Redistribution of primary silyl-and germylphosphines; synthesis of trisilyl-and trigermylphosphines", Phosphorus Sulfur, 39(1-2), pp. 123-129, (1988). |
| | 52. | G. A. Forsyth, D. W. H. Rankin, H. E. Robertson, "Determination of the molecular structure of Tris (Trimethylsilyl) phosphine in the gas phase by electron diffraction, supported by molecular mechanics calculations", J. Mol. Struct., Vol. 239, pp. 209-217, (1990). |
| | 53. | H. Schumann, H. J. Kroth, "NMR-Untersuchungen an Organoelemmenten(IVb)-Phosphinen, 2. Substituenteneinflusse auf die P-chemischen Verschiebungen von Trimethylelement (IVb)-phosphinen", Z. Naturforsch., B: Anorg. Chem., Chem. 32B, pp. 513-515, (1977). |
| | 54. | G. Becker, H. Freudenblum, O. Mundt, M. Reti, M. Sachs, Synthetic Methods of Organometallic and Inorganic Chemistry, 3, pp. 193-198 (1996). |
| | 55. | S. Schulz, M. Nieger, "Synthesis and characterization of organogallium-antimony compounds", J. of Organomet. Chem., Vol. 570, pp. 275-278 (1998). |
| | 56. | H. Schumann, U. Frank, W. W. Du Mont, F. Marschner, "Organometallarsine", J. Organomet. Chem, Vol. 222, pp. 217-225 (1981). |
| | 57. | M. Ates, H. J. Breunig, M. Denker, "Formation of $(Me_3M)_3Sb$ $(M = Ge, Sn, Pb)$ and $(Me_3M)_4Sb_2$ $(M = Pb)$ by reaction of $(Me_3Si)_3Sb$ with Me_3MCI ", Phosphous, Sulfur Silicon Relate. Elem., Vol: 102, pp. 287-289 (1995). |
| V | 58. | . H. Schumann, A. Roth, O. Stelzer, M. Schmidt, "Pyramidenformige Molekule Mit Dem Atomskelett", Inorg. Nucl. Chem. Lett. 2, pp. 311-312, (1986). |

| | | · | |
|----------|---------|-------------------------|---|
| EXAMINER | 8.1/1to | DATE CONSIDERED 4/19/07 | , |

Sheet 7 of 13

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 |
|------------------------------|--|--------------------------------|--------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | |
| | Use several sheets if necessary) | Applicant: | |
| | | Kouvetakis, et al. | |
| · | | Filing Date: | Group: |
| | | December 8, 2005 | 2812 |

| | ι | |
|-----|-----|---|
| RSP | 59. | G. Davidson, L. A. Woodward, E. A. V. Ebsworth, G. M. Sheldrick, "The vibrational spectra and structure of trisilylarsine and trisilylstibine", Spectrochim. Acta, Part A, Vol. 23, pp. 2609-2616, (1967). |
| | 60. | B. Beagley, A. G. Robiette, G. M. Sheldrick, "The Molecular Structures of (SiH3)3P and (SiH3)3As", Chem. Commun, 12, pp. 601-602 (1967). |
| | 61. | A. Blake, E. A. V. Ebsworth, S. G. D. Henderson, "Structure of trisilylphosphine, P(SiH ₃) _x , at 100 K", Acta Crystallogr., Sect. C: Cryst. Struct. Commun, C47, pp. 486-489, (1991). |
| | 62. | H. Siebert, J. Eints, "Neuvermessung des schwingungsspektrums von trisilylphosphin", J. Mol. Struct. Vol. 4, pp. 23-28, (1969). |
| | 63. | D. C. McKean, "On the spectroscopic evidence for geometry in (SiH ₃) ₃ P and (SiH ₃) ₃ As", Spectrochim. Acta, Part A, Vol: 24A, pp. 1253-1254 (1968). |
| | 64. | J. E. Drake, J. Simpson, "Reactions of Monosilylarsine with Some Boron Lewis Acids and the Reaction of Monosilylphosphine with Boron Tribromide", J. Chem. Soc. A. 5, pp. 1039-1043 (1968). |
| | 65. | E. H. Parker and T. E. Whall, "SiGe heterostructure CMOS circuits and applications", Solid State Electronics 43(8), pp. 1497-1506 (1999). |
| | 66. | R. A. Soref and C. H. Perry, "Predicted band gap of the new semiconductor SiGeSn", J. Appl. Phys. 69, pp. 539-541 (1991). |
| | 67. | K. A. Johnson and N. W. Ashcroft, "Electronic structure of ordered silicon alloys: Direct-gap systems", Phys. Rev. B 54, pp. 14480-14486 (1996). |
| | 68. | A. R. Kost, in Infrared-Applications-of-Semiconductors-II. Symposium, (Mater. Res. Soc., 1998). pp. 3-10 (ABSTRACT). |
| \ \ | 69. | A. W. Bett, F. Dimroth, G. Stollwerck, and O. V. Sulima, "III-V compounds for solar cell applications", Appl. Phys. A: materials Science & Processing, Vol: 69(2), pp. 119-129 (1999). |

| EXAMINER | // | SPINT | DATE CONSIDERED 4/19/07 |
|----------|----|-------|-------------------------|
| | | | |

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 |
|------------------------------|--|-----------------------------|--------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | |
| | (Use several sheets if necessary) | | |
| , | | Applicant: | |
| | · | Kouvetakis, et al. | |
| | • | Filing Date: | Group: |
| | | December 8, 2005 | 2812 |

| RSP | 70. | R. Gaska, A. Zukauskas, M. S. Shur, and M. A. Khan, "Progress in III-nitride based white light sources", Proceedings of the SPIE, Vol: 4776, pp. 82-96 (2002). |
|----------|-----|--|
| | 71. | R. Bauer, C. Ritter, P. Crozier, J. Menendez, J. Ren, and J. Kouvetakis, "Synthesis of ternary Si-Ge-Sn semiconductors on Si(100) via SnxGe1-x buffer layers", Appl. Phys. Lett. 83 (11), 2163-2165 (2003). |
| | 72. | H.K. Shin, D.J. Lockwood, JM. Baribeau, "Strain in coherent-wave SiGe/Si superlattices", Solid State Commun., Vol: 114(10), pp. 505-510 (2000). |
| | 73. | M. Meléndez-Lira, J. D. Lorentzen, J. Menéndez, W. Windl, N. Cave, R. Liu, J. W. Christiansen, N. D. Theodore, and J. J. Candelaria, "Microscopic carbon distribution in Si 1-yCy alloys: A Raman scattering study", Phys. Rev. B 56, pp. 3648-3650 (1997). |
| | 74. | C.S. Cook, S. Zollner, M.R. Bauer, P. Aella, J. Kouvetakis, and J. Menendez, "Optical constants and interband transitions of $Ge_{1-x}Sn_x$ alloys (x < 0.2) grown on Si by UHV-CVD", Thin Solid Films 455-456, pp. 217-221 (2004). |
| | 75. | Chizmeshya, et al., "Experimental and Theoretical study of deviations from Vegards Law in the Ge _{1.x} Ge _{1-x} system", Chem. Of Matls., Vol. 15, pp. 2511-2519 (2003). |
| | 76. | Aella, et al., "Structural and optical properties of Sn _x Si _y Ge _{1-x-y} alloys", App. Phys. Lett. Vol: 84, pp. 888-890 (2004). |
| | 77. | Roucka, et al., "Versatile buffer layer architectures based on $Ge_{1-x}Sn_x$ alloys", Appl. Phys. Let. Vol: 86(19), pp. 191912-191914 (2005). |
| | 78. | He, et al., "Synthesis of expitaxial Sn _x Ge _{1-x} alloy films by ion-assisted molecular beam epitaxy", App. Phys. Lett., Vol: 68(5), pp. 664-666 (1996). Pristovsek, et al., "Growth of strained gaAsSb layers on GaAs (001) by MOVPE", Journal of Crystal Growth, Vol: 276, pp. 347-353 (2005). |
| \ | 79. | Pristovsek, et al., "Growth of strained gaAsSb layers on GaAs (001) by MOVPE", Journal of Crystal Growth, Vol: 276, pp. 347-353 (2005). |

| EXAMINER | | 8.// | the | DATE CONSIDERED | 4/19/07 |
|----------|---|------|-----|-----------------|---------|
| | 7 | | | | |

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 |
|------------------------------|---|-----------------------------|--------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | | |
| | | Applicant: | |
| | | Kouvetakis, et al. | |
| | | Filing Date: | Group: |
| | | December 8, 2005 | 2812 |

| psp | 80. | Wosinski, et al., "Deep levels caused by misfit dislocations in gaAsSb/GaAs heterostructures", Appl. Phys. Lett., Vol: 67(8), pp. 1131-1133. |
|------------|-----|--|
| | 81. | Dvorak, et al., "300 GHz InP/GaAsSb/InP double HBTs with high current capability and BVCEO < 6V", IEEE Electron Device Letters, Vol: 22(8), pp. 361-363 (2001). |
| · | 82. | Ryu Sang-Wan, et al., "Optical characterization and determination of conduction band offset of type-II GaAsSb/InGaAs QW", Semiconductor Science and Technology, Vol. 19, pp. 1369-1372 (2004). |
| | 83. | Dowd, et al., "Long wavelength GaAsP/GaAs/GaAsSb VCSELs on GaAs substrates for communication applications", Electronics Letters, Vol. 39(13), pp. 987-988 (2003). |
| | 84. | Zheng, et al., "Demonstration of High-Speed staggered lineup GaAsSb-InP Unitraveling Carrier Photodiodes", IEEE Photonics Technology Letters, Vol. 17(3), pp. 651-653 (2005). |
| | 85. | Sun, et al., "GaAsSb: a novel material for near infrared photodetectors on GaAs substrates", Selected Topics in Quantum Electronics, IEEE Journal, Vol: 8(4), pp. 817-822 (2002). |
| | 86. | Kaniewski J., et al., "Resonant cavity enhanced InGaAs photodiodes for high speed detection of 1.55 μm infrared radiation", Proceedings of SPIE-The International Society for Optical Engineering (2005), Vol: 5783 (Pt. 1, Infrared Technology and Applications XXXI), pp. 47-56. |
| | 87. | Kang, Y., et al., "InGaAs-on-Si single photon avalanche photodetectors", Applied Physics Letters (2004), 85(10), pp. 1668-1670. |
| | 88. | Kim S., et al., "High Performance 0.1µm GaAs Pseudomorphic High Electron Mobility Transistors with Si Pulse-Doped Cap Layer for 77GHz Car Radar Applications", Jpn. J. App. Phys. 44, pp. 2472–2475 (2005). |
| | 89. | Cristea P., et al., "Growth of AlAsSb/InGaAs MBE-layers for all-optical switches", J. Cryst. Growth 278(1-4), pp. 544-547 (2005). |
| lacksquare | 90. | Li Y.J., et al., "Improved characteristics of metamorphic InAlAs/InGaAs high electron mobility transistor with symmetric graded In _x Ga _{1-x} As channel", J. of Vac. Sci. Tech. B 22 (5), pp. 2429-2433 (2004). |

| | | 2 | | | |
|----------|----|---------------|------|---|-------------------------|
| EXAMINER | X/ | ~~ <i>S</i> . | Part | 7 | DATE CONSIDERED 4/19/07 |

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 |
|------------------------------|---|--------------------------------|--------------------------|
| | | Applicant: Kouvetakis, et al. | , |
| | | Filing Date: December 8, 2005 | Group: 2812 |

| RJP | 91. | Mao R. W., et al., "Fabrication of 1.55 μm Si-Based Resonant Cavity Enhanced Photodetectors Using Sol-Gel Bonding" IEEE Photonics Technology Letters 16(8), pp. 1930-1932 (2004). |
|--------------|------|--|
| | 92. | Pauchard A., et al., "Wafer-bonded InGaAs/silicon avalanche photodiodes", Proceedings of SPIE-The International Society for Optical Engineering, Vol: 4650 (Photodetector Materials and Devices VII), pp. 37-43 (2002). |
| | 93. | Takano Y., et al., "Residual strain and threading dislocation density in InGaAs layers grown on Si substrates by metalorganic vapor-phase epitaxy", Appl. Phys. Lett., Vol. 78(1), pp. 93-95 (2001). |
| | 94. | Chriqui Y., et al., "Long wavelength room temperature laser operation of a strained InGaAs/GaAs quantum well structure monolithically grown by metalorganic chemical vapour deposition on a low energy-plasma enhanced chemical vapour deposition graded misoriented Ge/Si virtual substrate", Optical Materials, Vol: 27, pp. 846–850 (2005). |
| | 95. | V.K. Yang, et al., "Comparison of luminescent efficiency of InGaAs quantum well structures grown on Si, GaAs, Ge, and SiGe virtual substrate", J. Appl. Phys., Vol. 93(9), pp. 5095-5102 (2003). |
| | 96. | Shiu Fai Li, et al., "Scaling law for the compositional dependence of Raman frequencies in GeSi and SnGe alloys, Appl. Phys. Lett., Vol. 84, pp. 867-869 (2004). |
| | 97. | Cook, et al., "Optical constants and interband transitions of Ge1-xSnx alloys (x<0.2) grown on Si", In press Thin Solid Films, Vol: 455-456, pp. 217-221 (2004). |
| | 98. | Menendez, et al., "Type-I Ge/Ge _{1-x-y} Si _x Sn _y strained-layer heterostructures with a direct Ge band gap, Appl. Phys. Lett., Vol: 85(7), pp. 1175-1177 (2004). |
| | 99. | Park, et al., "Observation olarge stark shift in Ge _x Si _{1-x} /Si multiple quantum wells", J. Cac. Sci. Technol. B, Vol: 8(2), pp. 217-220 (1990). |
| \downarrow | 100. | Baier, et la., "Type-II band alignment in Si/Sil_xGex quantum wells from photoluminescence line shifts due to optically induced band-bending effects: Experiment and theory", Phys. Rev. B, Vol. 50(20), pp. 15191-15196 (1994). |

| EXAMINER | The S. P. Atel | DATE CONSIDERED 4/19/07 |
|----------|----------------|-------------------------|
| | | |

Sheet 11 of 13

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 |
|------------------------------|--|--------------------------------|--------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | | |
| | | Applicant: Kouvetakis, et al. | |
| | | Filing Date: December 8, 2005 | Group: 2812 |

| RJP | 101. | Temkin, et al., "GexSi1-x strained-layer superlattice waveguide photodetectors operating near 1.3 _m", Appl. Phys. Lett., Vol: 48(15), pp. 963-965 (1986). |
|-----|------|---|
| | 102. | |
| | 103. | Miyake, et al., "Absence of stark shift in strained Si1-xGex/Si type-I quantum wells", Appl. Phys. Lett., Vol; 68(15), pp. 2097-2099 (1996). |
| | 104. | O. Qasaimeh, et al., (1997), "Electroabsorption and Electrooptic Effectin SiGe-Si Quantum Wells: Realization of Low-Voltage Optical Modulators", IIEEE J. Quantum Electron, Vol: 33 (99), pp. 1532-1536. |
| | 105. | Jaros, "Simple analytic model for heterojunction band offsets", Phys. Rev. B. Vol. 37(12), pp. 7112-7114 (1988). |
| | 106. | Tolle, et al., "Epitaxial growth of group III nitrides on Si substrates via a reflective lattice-matched zirconium diboride buffer layer", Appl. Phys. Lett., Vol; 82(15), pp. 2398-2400 (2003). |
| | 107. | Hu, et al., "Nucleation and growth of epitaxial ZrB₂(0001) on Si(111)", Journal of Crystal Growth, Vol: 267, (2004) pp. 554-563. |
| | 108. | Tolle, et al., "Epitaxial growth of AlGaN by metalorganic chemical vapor deposition on Si(111) via a ZrB₂(0001) buffer layer", Appl. Phys. Lett, Vol: 84(18), pp. 3510-3512 (2004). |
| | 109. | R.F.C. Farrow et al., "The growth of metastable, heteroepitaxial films of α -Sn by metal beam epitaxy", J. Cryst. Growth, Vol: 54, pp. 507-518 (1981). |
| | 110. | G Becker et al., "Notiz uber eine einfache methode zur darstellung von tris (trimethylsilyl)phosphin", Chem. Ber., Vol: 108, pp. 2484-2485 (1975). |
| V | 111. | H. Schumann et al., "Trimethylsilyldiphosphane", J. Organomet. Chem., Vol. 88, pp. C13-C16, (1975). |

| | 1 | | | | | | | | |
|------------|---|------|-----|-----------------|---|------------|---------|---|--|
| EXAMINER Y | | S. Ø | att | DATE CONSIDERED | 7 | //4 | 10- | 7 | |
| | | | | | | the second | <i></i> | | |

Sheet 12 of 13

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. | Serial No. |
|------------------------------|--|--------------------|------------|
| | | 05-720-US2 | 10/559,981 |
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | |
| | (Use several sheets if necessary) | | |
| | | Applicant: | - |
| | | Kouvetakis, et al. | |
| | | Filing Date: | Group: |
| | | December 8, 2005 | 2812 |

| RJP | 112. | H. Schumann et al., "Eine einfache Methode zur Synthese von Organosilylphosphinen", J. Organometalic Chem. Vol: 55, pp. 257-260 (1973). |
|-----|------|--|
| | 113. | H. Burger et al., "Schwingungsspektren und Kraftkonstanten von Silyl-und Trimethylsilyl-Verbindungen von Elementen der 5. Gruppe", Spectrochimica. Acta, Vol: 26A, pp. 671-683, (1970). |
| | 114. | H.J. Breunig et al., "Crystal structures of tris (trimethylsilyl) stibine and pentacarbonyl(tris(trimethylsilyl) stibine) chromium", Journal of Organometallic Chemistry, Vol. 608 (2000), pp. 60-62. |
| | 115. | L. Rosch et al., "Darstellung und untersuchung von phosphinkomplexen mit aluminiumtrichlorid und aluminiumtriathyl", Anorg. Allg. Chem, Vol. 426, pp. 99-106 (1976). |
| | 116. | H. Schumann et al., "Substituentenaustauschreaktionene zwischen Tris (Trimethylsilyl) phosphan und Trimethylgermanium- und Trimethylzinnchlorid", Z. Naturforsch., Vol:29B, 608-610 (1974). |
| | 117. | H. Schumann et al., "Darstellung und Schwingungsspektren von Trimethylsilyl-, Trimethylgermyl-und Trimethyl-stannyl-tert-butylphosphinen", Chem. Ber., Vol: 107, pp. 854-869 (1974). |
| | 118. | A.V.G. Engelhardt et al. Naturforsch., "Uber die IR-, Raman-und ³¹ P-NMR-Spektren ciniger phosphinderivate von germanium und zinn", B: Anorg. Chem., Org. Chem., Biochem, Biophys., Biol. Vol. 22b, pp. 352-353 (1967). |
| | 119. | J.W. Anderson, J.E. Drake, "Trimethylstannylarsines", Canadian Journal of Chemistry, Vol. 49, pp. 2524-2528 (1971). |
| | 120. | E. Niecke, H. Westermann, "A simple method for the preparation of Tris (trimethylsilyl) phosphine", Synthesis, (1988), page 330. |
| | 121. | H.J. Breunig et al., Naturforsch., "Tetrakis (Trimethylsilyl) distiban", Z. Naturforsch., Vol. 34B, pp. 926- 928 (1979). |
| · | 122. | H.J. Breunig, "Synthese von Tetrakis (trimethylgermyl)-Distaiban", Z. Naturforsch., Vol. 33B, pp. 244-245, (1978). |
| 4 | 123. | Spanier, et al., "The Synthesis of Germylsilane from Silane and German in a Silent Electric Discharge", Inorganic Chemistry, (1962), pp. 215-216 |

| EXAMINER | YZ | · . | S | Parti | DATE CONSIDERED 4/19/07 |
|----------|----|-----|---|-------|-------------------------|
| | / | | | | |

Sheet 13 of 13

| FORM PTO-1449 (Rev. 2-32) | U.S. Department of Commerce Patent and Trademark Office | Atty. Docket No. 05-720-US2 | Serial No. 10/559,981 |
|------------------------------|--|--------------------------------|--------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | | 5 |
| | (Ose several sheets if necessary) | Applicant: Kouvetakis, et al. | |
| | | Filing Date: December 8, 2005 | Group: 2812 |

COMMONLY OWNED CO-PENDING APPLICATIONS

| Examiner | | |
|----------|----|--|
| Initial | | |
| R5P | 1. | Kouvetakis, et al., U.S. Patent Application No. 10/559,980, Filed on December 8, 2005. |
| RJP | 2. | Kouvetakis, et al., U.S. Patent Application No. 10/559,979, Filed on December 8, 2005. |

| EXAMINER JA S ON DATE CONSIDERED 4/19/07 | |
|--|--|